NOWCASTING TRADE WITH MACHINE LEARNING **ATHREE-STEP APPROACH**

Menzie CHINN, Baptiste MEUNIER, Sebastian STUMPNER

Motivations

- Trade in *volumes* available with considerable lag
- Numerous trade indicators available in the meantime

Why not nowcasting?

• Trade highly volatile \longrightarrow Why not non-linear approach - what about machine learning?



• 600 variables

Data

- Covering all aspects of the economy
- Identified in literature on trade nowcasting

Approach

- Setting a three-step framework
- Distinguishing *tree*-based and *regression*-based among machine learning methods

Pre-selection



Figure 1. Accuracy relative to OLS (= 1) *t - 2 t* + 1 *t* - 1 1.3 1.2 1.1 1.0 0.9 0.8 0.7 Tradi. ML ML Tradi. ML Tradi. ML Tradi. ML ML ML ML tree tree reg. tree reg. reg. tree reg. Markov-switching Random forest Macroeconomic random forest Quantile regression Gradient boosting Linear gradient boosting

- Ranking by predictive power
- Improving accuracy in factor models

Factor extraction

- Summarizing information (of selected variables)
- Orthogonalizing inputs to regression

Non-linear regression (on factors)

Tree-

based

"Traditional"

Markov-ewitching

Machine learning

Regressionbased

Random forest Macroeconomic RE

Figure 2. Accuracy relative to <u>no</u> pre-selection (= 1)

1.2

1.1

1.0

0.9

0.8

0.7

0.6

0.5



······ OLS (relative to no pre-selection = 1)

Notes: Accuracy measured by out-of-sample RMSE over Jan. 2012 - April 2022. Results averaged over datasets mirroring data available to forecaster at 1st, 11th, and 21st days of the month, using LARS for pre-selecting the 60 most informative regressors, and extracting factors with PCA on pre-selected set.



Figure 3. Accuracy relative to <u>no</u> factor extraction (= 1)

t + 1

warkov-switching	Randomiorest	
Quantile reg.	Gradient boosting	Linear GB



Real-time horserace

- In-sample pre-selection and hyper-parametrization
- Out-of-sample back-casts (t-2 and t-1), now-cast

(t) and forecast (t+1)

• Over Jan. 2012 to Apr. 2022

Regression-based machine learning (ML)

outperforming significantly usual *tree*-based ML

and benchmarks (linear and non-linear)

Machine learning performance significantly lacksquare

enhanced by pre-selection and factor extraction

• Approach outperforming a dynamic factor model



baptiste.meunier@ecb.europa.eu